

Page 1 of 6 **2012633-1034B**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 11/13/2020

1.1 Product Name			1.	PRODUC	CT & COI	MPAN	Y IDF	NTI	FICA	TIOI	J					
1.1 Chemical Name: 2012-23-1034B	1.1	Product Name:							.07.		•					
1.3 Sprongree	12	Chemical Name:		XIONE 3	1 11/41, 4	1.03/0	VOC									
1.4 Take Number: Airy Texture Spriny, 41 89% VOC				AD.												
1.5																
Shield Packaging 20 A. Inc.																
1.7 Distriction's Audienses 5165 "G" Street, Chino CA 91710 USA Energopmone 1.9 Business Phone Fax 1.009) 628-4707 / +1 (909) 591-8916																
CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300																
1.0 Business Phore / Fax 1 (300) 628 4707 / 1 (300) 521-8916							->									
Prepared in accordance with UN Globally Harmonized standards. Intended to comply with OSHA 29 CFR 19						/ +1 (80	0) 424	-9300)							
Prepared in accordance with UN Globality Harmonized standards. Intended to comply with OSHA 29 CFR 19 Canadian WHMIS and Australium Work Health and Safety. WARNINGI FLAMMABLE AEROSOL PRESSURIZED CONTAINER: MAY BURST IF HEATED. MAY CA ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Classification: Aerosol 2: Skin Sens. 18: Eye Irrit. 2 Hazard Statements: Hazard Statements (H): P223 — Flammable aerosol. H229 — Pressurized container: may burst if heated. H317 — May cause an allergic skin reaction. H320 — Causes eye irritation. Precautionary Statements (P): P210 — Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 — Do not sprey on open filame or other ignition sources. Proceedings (P): P210 — Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 — Do not sprey on open filame or other ignition sources. Percentionary Statements (P): P210 — Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Percentionary Statements (P): P210 — Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Percentionary Statements (P): P210 — Response of portionary statements (P): P210 — Containmated work clothing should not be allowed out of the workplace. P289 — Is NET P272 — Containmated work clothing should not be allowed out of the workplace. P289 — Is NET P273 — If skin irritation or rash occurs. Cet medicial advice/attention. P303-P314-P313 — If skin irritation or rash occurs. Cet medicial advice/attention. P303-P314-P313 — If skin irritation or rash occurs. Cet medicial advice/attention. P303-P334- Take off contaminated clothing and wash it before reuse. P370-P378 — In case of fire: Use Water, Foam, Co., p. Vr. Chemical, Halon (if authorized), to extinguish. P403-P235 — Store in a well-variational palee. Keep cool. P4109-P412 — Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F.) P501 — Dispose of contents/container to a licensed treatment, storage o	1.9	Dusifiess Friorie / Fax.	+1 (909) 628	-4707 / +1 (909	1) 591-8916											
Canadan Wi-Milki and Australian Work Health and Safety:		·														
Name	2.1	Hazard Identification:	Canadian WI WARNING! ALLERGIC S	HMIS and Austr FLAMMABLE SKIN REACTIO	ralian Work He AEROSOL. ON. CAUSES	ealth and S PRESSUI EYE IRRI	Safety. RIZED (TATION	CONT				-				
CAS NO. RTECS NO. EINECS NO. SINGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m²) DIFLUOROETHANE (R-152a) T5-37-6			Precautionary other ignition P251 – Do not p264 – Wash – Contaminary gloves/eyewer – If skin irritary Rinse caution Continue rins Take off cont Foam, CO ₂ , ventilated pla	y Statements (F sources. No so ot pierce or burn hands and exted work clothin ear. P302+P35 ation or rash or usly with water sing. P337+P3 taminated cloth Dry Chemical, ace. Keep cool	P): P210 – Keesmoking. P21 In, even after exposed skin aring should not 62 – IF ON Skeetors: Get me for several ming and wash, Halon (if au	ep away f 11 – Do nouse. P26 reas with september allower KIN: Washedical advinutes. Restation persent before in thorized),	rom hea ot spray 1 – Avoi soap and d out of with ple ce/atten emove c sists get reuse. If to extir	at, hot so on oping bread warm the weenty we antion. contact medice 2370+ nguish	surfaces en flam thing fun thorou orkplace arm wa P305+F lenses al advice P378 – P403	s, sparline or o one/gaughly a pe. P28 ter ance 2351+F, if presented in case 3+P235	ks, ope ther ig s/mist/ fter ha 0 – W I soap 2338 – sent an tion. e of fir i – Sto	nition vaporandling ear pr P33 IF IN nd eas P3624 e: Use ore in	source s/spray j. P272 otective 3+P313 EYES by to do -P364 - e Water a well	22 99 33 34:	< <	<u>*</u>
CAS No. RTECS No. EINECS No. ENECS No. ENECS No. % TLV STEL ES-TWA STEL PEAK PEL STEL IDLH OT					P501 – Dispos				to a lice		reatme	ent, sto				•
CHEMICAL NAME(S)	2.3	Other Warnings:	disposal facil	ity (TSDF).					to a lice		reatme	ent, sto				
PPM	2.3	Other Warnings:	disposal facil	ity (TSDF). OF REACH OF	CHILDREN.	se of conte	ents/cont	tainer		nsed to		ent, sto				
CHEMICAL NAME(S) CAS NO. RTECS NO. BINECS NO. 5. TLV STEL ES-TWA STEL PEAK PEL STEL IDLH OT TALL STEL STEL STEL IDLH OT TOWN STEL STEL STEL IDLH OT THE STEL STEL STEL IDLH OT STEL STEL STEL IDLH OT STEL STEL IDLH OT STEL STEL IDLH OT STEL STEL IDLH OT STEL STEL	2.3	Other Warnings:	disposal facil	ity (TSDF). OF REACH OF	CHILDREN.	se of conte	ents/conf	T INF	ORN	ATI EXPOS	ON		AIR (mg/	r		
CAS No. RTECS No. EINECS No. % TLV STEL ES-TWA STEL PEAK PEL STEL IDLH OT	2.3	Other Warnings:	disposal facil	ity (TSDF). OF REACH OF	CHILDREN.	se of conte	DIENT	T INF	ORN	ATI EXPOS	ON		AIR (mg/	r		
Flam. Gas 1; H220	2.3	Other Warnings:	disposal facil	ity (TSDF). OF REACH OF	CHILDREN.	se of conte	DIENT	T INF	ORN	ATI EXPOS NOHSC ppm	ON SURE LII		AIR (mg/	r		
Flam. Gas 1; H220			disposal facil	OF REACH OF	CHILDREN.	IGRED	DIENT AC	F INF	ORN	ATI EXPOS NOHSC ppm ES-	ON SURE LII	MITS IN	AIR (mg/ OSHA ppm	r /m³)		OTHER
ETHANOL (SD ALCOHOL 40B) ITHANOL (SD ALCOHO			disposal facil	OF REACH OF	CHILDREN.	IGRED	DIENT AC	F INF	ORN	ATI EXPOS NOHSC ppm ES-	ON SURE LII	MITS IN	AIR (mg/ OSHA ppm	r /m³)		OTHER
Flam.Liq.2; H225	CHEMI	CAL NAME(S)	disposal facil KEEP OUT C 3. C CAS No.	OMPOSITECS No.	CHILDREN. FION & IN	IGRED	DIENT ACC PR TLV	F INF	FORN ES-TWA	MATI EXPOS NOHSC ppm ES- STEL	ON SURE LII ES- PEAK	MITS IN	AIR (mg/ OSHA ppm	r /m³)		OTHER
DIMETHYL ETHER	CHEMI	CAL NAME(S)	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1;	RTECS No.	CHILDREN. FION & IN EINECS No.	IGRED %	DIENT ACC PR TLV	F INF GIH DOM STEL NA	ES-TWA	MATI EXPOS NOHSC ppm ES- STEL	ON BURE LII ES- PEAK	PEL NA	AIR (mg/ OSHA ppm STEL	r /m³) IDLH NA		OTHER
DIMETHYLETHER	CHEMI	CAL NAME(S) OROETHANE (R-152a)	3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5	IT (TSDF). OF REACH OF OMPOSIT RTECS No. KI4100000 H220 KQ6300000	CHILDREN. FION & IN EINECS No.	IGRED %	DIENT ACC PR TLV	F INF GIH DOM STEL NA	ES-TWA	MATI EXPOS NOHSC ppm ES- STEL	ON BURE LII ES- PEAK	PEL NA	AIR (mg/ OSHA ppm STEL	r /m³) IDLH NA		OTHER
VP/VA COPOLYMER 25086-89-9 NA NA 1-5 NA NA NF NF NA N	CHEMI	CAL NAME(S) OROETHANE (R-152a)	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H	EOMPOSITE REACH OF RE	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6	%	AC PF TLV 1000	F INF GIH DIM STEL NA 3000	ES-TWA 1000	EXPOS NOHSC PPM ES-STEL NF	ES- PEAK	PEL NA	AIR (mg/ OSHA ppm STEL NA	/m³) IDLH NA 3300		OTHER
PVP 9003-39-8	CHEMI DIFLU ETHA	CAL NAME(S) IOROETHANE (R-152a) NOL (SD ALCOHOL 40B)	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6	EOMPOSITE REACH OF RE	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8	%	AC PF TLV 1000	F INF GIH DIM STEL NA 3000	ES-TWA 1000	EXPOS NOHSC PPM ES-STEL NF	ES- PEAK	PEL NA	AIR (mg/ OSHA ppm STEL NA	/m³) IDLH NA 3300		OTHER
GLYCERIN 56-81-5	CHEMI DIFLU ETHA	CAL NAME(S) JOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1;	RTECS No. KI4100000 H220 KQ6300000 225 NA Press. Gas; H220	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8 0	% 50-60 25-30	ACC PR TLV 1000 1000 NA	TINF GIH STEL NA 3000	ES-TWA 1000 1000 400	EXPOS NOHSC ppm ES- STEL NF 1800	ON ES- PEAK NF NF	PEL NA 1000	AIR (mg/OSHA ppm STEL NA 1900	/m³) IDLH NA 3300		OTHER
NA	CHEMI DIFLU ETHA	CAL NAME(S) JOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9	RTECS No. KI4100000 K220 KQ6300000 225 NA Press. Gas; H220 NA	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8 0 NA	% 50-60 25-30 1-5	AC PR TLV 1000 NA NA	TINF GIH DM STEL NA 3000 NA NA	ES-TWA 1000 1000 400 NF	MATI EXPOS NOHSC ppm ES- STEL NF 1800 760	ES- PEAK NF NF	PEL NA 1000 NA NA	AIR (mg/OSHA ppm STEL NA 1900 NA NA	r IDLH NA 3300 NA NA		OTHER
GERANIOL 106-24-1 RG5830000 203-377-1 0-0.1 NA NA NF NF NA NA ALLERG	CHEMI DIFLU ETHA DIMET	CAL NAME(S) JOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9	RTECS No. KI4100000 K220 KQ6300000 225 NA Press. Gas; H220 NA	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8 0 NA	% 50-60 25-30 1-5	AC PR TLV 1000 NA NA	TINF GIH DM STEL NA 3000 NA NA	ES-TWA 1000 1000 400 NF	MATI EXPOS NOHSC ppm ES- STEL NF 1800 760	ES- PEAK NF NF	PEL NA 1000 NA NA	AIR (mg/OSHA ppm STEL NA 1900 NA NA	r IDLH NA 3300 NA NA		OTHER
Skin Irrit. 2, Skin Sens. 1, Eye Dam. 1; H315, H317, H318 LIMONENE ALUMINUM STARCH OCTENYLSUCCINATE ACRYLATES COPOLYMER Skin Irrit. 2, Skin Sens. 1, Eye Dam. 1; H315, H317, H318	CHEMI DIFLU ETHA DIMET VP/VA PVP	CAL NAME(S) JOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER A COPOLYMER	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9 9003-39-8	RTECS No. KI4100000 H220 KQ6300000 225 NA Press. Gas; H220 NA	EINECS No. 200-866-1 200-578-6 204-065-8 NA NA	% 50-60 25-30 15-20 0.1-1	DIENT AC PF TLV 1000 NA NA	TINF GIH DIM STEL NA 3000 NA NA	ES-TWA 1000 1000 400 NF	INSERT TO THE PROPERTY OF THE	ES- PEAK NF NF NF	PEL NA 1000 NA NA	AIR (mg/OSHA ppm STEL NA 1900 NA NA NA NA	r IDLH NA 3300 NA NA		OTHER
Skin Irrit. 2, Skin Sens. 1, Eye Dam. 1; H315, H317, H318 LIMONENE Skin Irrit. 2, Skin Sens. 1, Eye Dam. 1; H315, H317, H318 LIMONENE S989-27-5	DIFLU ETHA DIME* VP/VA PVP GLYC	CAL NAME(S) IOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER A COPOLYMER ERIN	75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9 9003-39-8	KI4100000 H220 KQ6300000 225 NA Press. Gas; H220 NA MA8050000	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8 0 NA NA 200-289-5	% 50-60 25-30 1-5 0.1-1 0.1-1	DIENT ACC PF TLV 1000 NA NA NA	TINF GIH DM STEL NA 3000 NA NA NA	ES-TWA 1000 1000 400 NF NF	IATI EXPOS NOHSC ppm ES- STEL NF 1800 760 NF NF	ON URE LIII ES- PEAK NF NF NF NF	PEL NA 1000 NA NA NA	AIR (mg/OSHA ppm STEL NA NA NA NA NA	r IDLH NA 3300 NA NA NA		OTHER
S989-27-5 GW6360000 227-813-5 0-0.1 NA NA NF NF NA NA NA ALLERG	DIFLU ETHA DIMET VP/VA PVP GLYC	CAL NAME(S) IOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER A COPOLYMER ERIN RANCE (PARFUM)	disposal facil KEEP OUT C 3. C 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9 9003-39-8 56-81-5 NA	KI4100000 H220 KQ6300000 225 NA Press. Gas; H220 NA MA8050000	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8 0 NA NA 200-289-5 NA	% 50-60 25-30 1-5 0.1-1 0-0.1	DIENT ACC PR TLV 1000 1000 NA NA NA NA	TINF GIH DM STEL NA 3000 NA NA NA NA	1000 1000 400 NF NF NF	IATI EXPOS NOHSC ppm ES- STEL NF 1800 NF NF NF	ON URE LIII ES- PEAK NF NF NF NF NF	PEL NA 1000 NA NA NA NA	AIR (mg/OSHA ppm STEL NA NA NA NA NA NA	r IDLH NA 3300 NA NA NA NA		
OCTENYLSUCCINATE ACRYLATES COPOLYMER 25035-69-2 NA NA 0-0.1 NA NA NF NF NF NA	DIFLU ETHA DIME* VP/VA PVP GLYC	CAL NAME(S) IOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER A COPOLYMER ERIN RANCE (PARFUM)	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9 9003-39-8 56-81-5 NA 106-24-1	RTECS No. KI4100000 KQ6300000 NA RG5830000 RG58300000 RG583000000 RG583000000 RG583000000 RG583000000 RG583000000 RG580000000 RG5800000000 RG58000000000000000000000000000000000000	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8 NA NA 200-289-5 NA	So-60	DIENT AC PR TLV 1000 1000 NA NA NA NA	TINF GIH DM STEL NA 3000 NA NA NA NA	1000 1000 400 NF NF NF	IATI EXPOS NOHSC ppm ES- STEL NF 1800 NF NF NF	ON URE LIII ES- PEAK NF NF NF NF NF	PEL NA 1000 NA NA NA NA	AIR (mg/OSHA ppm STEL NA NA NA NA NA NA	r IDLH NA 3300 NA NA NA NA	ALLE	
ACRYLATES COPOLYMER 25035-69-2 NA NA 0-0.1 NA NA NF NF NF NA	CHEMI DIFLU ETHA DIME ⁻ VP/VA PVP GLYC FRAG GERA	CAL NAME(S) DOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER COPOLYMER ERIN RANCE (PARFUM) NIOL	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9 9003-39-8 56-81-5 NA 106-24-1 Skin Irrit. 2, S	ity (TSDF). OF REACH OF COMPOSITE RTECS No. KI4100000 H220 KQ6300000 225 NA Press. Gas; H220 NA NA MA8050000 NA RG5830000 kin Sens. 1, Eye	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8 NA NA 200-289-5 NA 203-377-1 Dam. 1; H315, H	Solution	AC PF TLV 1000 NA NA NA NA	TINF GIH DM STEL NA 3000 NA NA NA NA	1000 1000 400 NF NF NF NF	IATI EXPOS NOHSC ppm ES- STEL NF 1800 760 NF NF NF	ES-PEAK NF NF NF NF NF NF	PEL NA 1000 NA NA NA NA	AIR (mg/OSHA ppm STEL NA NA NA NA NA NA NA	r IDLH NA 3300 NA NA NA NA NA		RGEN
546-93-0 NA 1208-915-9 10-0 1 NA NA NE NE NE NA NA NA NA	CHEMI DIFLU ETHA DIME* VP/VA PVP GLYC FRAG GERA LIMON	CAL NAME(S) IOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER A COPOLYMER ERIN RANCE (PARFUM) INIOL NENE INUM STARCH	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9 9003-39-8 56-81-5 NA 106-24-1 Skin Irrit. 2, S 5989-27-5	Ity (TSDF). OF REACH OF	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8 NA NA 200-289-5 NA 203-377-1 Dam. 1; H315, I 227-813-5	See of contents See of con	AC PF TLV 1000 NA NA NA NA NA NA	TINF GIH DM STEL NA 3000 NA NA NA NA NA	ES-TWA 1000 1000 400 NF NF NF NF	IATI EXPOS NOHSC ppm ES- STEL NF 1800 760 NF NF NF	ES-PEAK NF NF NF NF NF NF NF	PEL NA 1000 NA NA NA NA NA	AIR (mg/OSHA ppm STEL NA NA NA NA NA NA NA	r IDLH NA 3300 NA NA NA NA NA		RGEN
1040-95-U INA IZUK-910-9 IU-UT INALINALINE INE INE INALINALINALI	CHEMI DIFLU ETHA DIMET VP/VA PVP GLYC FRAG GERA LIMON ALUMAN	CAL NAME(S) JOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER A COPOLYMER ERIN RANCE (PARFUM) INIOL NENE INUM STARCH NYLSUCCINATE	disposal facil KEEP OUT C 3. C CAS No. 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9 9003-39-8 56-81-5 NA 106-24-1 Skin Irrit. 2, S 5989-27-5	Ity (TSDF). OF REACH OF COMPOSITE RTECS No. KI4100000 H220 KQ6300000 225 NA Press. Gas; H220 NA NA MA8050000 NA RG5830000 RG5830000 RG5830000 RG5830000	CHILDREN. FION & IN EINECS No. 200-866-1 200-578-6 204-065-8 0 NA NA 200-289-5 NA 203-377-1 Dam. 1; H315, H 227-813-5 NA	% 50-60 25-30 15-20 1-5 0.1-1 0-0.	ACC PR TLV 1000 NA NA NA NA NA NA	TINF GIH DM STEL NA 3000 NA NA NA NA NA NA	ES-TWA 1000 1000 400 NF NF NF NF NF	IATI EXPOS NOHSC ppm ES- STEL NF 1800 760 NF NF NF NF	ES-PEAK NF NF NF NF NF NF NF	PEL NA 1000 NA NA NA NA NA NA	AIR (mg/OSHA ppm STEL NA	r IDLH NA 3300 NA NA NA NA NA NA		RGEN
MAGNESIUM CARBONATE	CHEMI DIFLU ETHA DIMET VP/VA PVP GLYC FRAG GERA LIMON ALUMMONTE	CAL NAME(S) JOROETHANE (R-152a) NOL (SD ALCOHOL 40B) THYL ETHER A COPOLYMER ERIN RANCE (PARFUM) INIOL NENE INUM STARCH NYLSUCCINATE	disposal facil KEEP OUT (3. C 75-37-6 Flam. Gas 1; 64-17-5 Flam.Liq.2; H 115-10-6 Flam. Gas 1; 25086-89-9 9003-39-8 56-81-5 NA 106-24-1 Skin Irrit. 2, S 5989-27-5 9087-61-0	Ity (TSDF). OF REACH OF COMPOSITE RTECS No. KI4100000 H220 KQ6300000 KQ6300000 NA NA MA8050000 NA RG5830000 RG5830000 NA RG5830000 NA NA	EINECS No. 200-866-1 200-578-6 204-065-8 0 NA NA 203-377-1 Dam. 1; H315, 1 227-813-5 NA NA	% 50-60 25-30 15-20 1-5 0.1-1 0-0.1 0-0.1 0-0.1	DIENT ACC PF TLV 1000 1000 NA NA NA NA NA NA NA	TINF GIH DM STEL NA 3000 NA NA NA NA NA NA	ES-TWA 1000 1000 400 NF NF NF NF NF	IATI EXPOS NOHSC ppm ES- STEL NF 1800 760 NF NF NF NF	ON URE LIII ES- PEAK NF NF NF NF NF NF NF NF NF N	PEL NA 1000 NA NA NA NA NA NA	AIR (mg/OSHA ppm STEL NA	r IDLH NA 3300 NA NA NA NA NA NA NA		RGEN



Page 2 of 6

2012633-1034B

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 11/13/2020 3. COMPOSITION & INGREDIENT INFORMATION – cont'd EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC **OSHA** ppm ppm ppm FS-ES-PEL CHEMICAL NAME(S) CAS No. RTECS No. EINECS No STEL STEL PEAK STEL IDLH OTHER 232-674-9 0-0.1 9004-34-6 NA NA NA NF NF NF NA NA NA CELLULOSE NA NA NA 0-0.1 NA NA NF NF NF NA NA NA ALLERGEN EXTRACT AND OILS 4. FIRST AID MEASURES First Aid: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water Eyes: for at least 15 minutes. If irritation occurs, contact a physician. If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Inhalation: Remove victim to fresh air at once. Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. 42 Ingestion: Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Coughing, wheezing, shortness of breath, impaired pulmonary function. Irritation or soreness in throat, Inhalation: nose and respiratory tract. 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product may cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. 4.4 Acute Health Effects: Moderate irritation to eyes. 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4.6 Target Organs: Eyes, Skin 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 3 **PHYSICAL HAZARDS** 0 PROTECTIVE EQUIPMENT В SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: FLAMMABLE AEROSOL. Level 2 Aerosol (NFPA 30B). Aerosols may burst at temperatures

		above 122 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids or/or exposed gases if exposed to the heat of fire. Keep containers cool by spraying them with water until the fire has been extinguished. Keep away from heat, lit cigarettes, sparks & open flame. Keep container closed. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke.
5.2	Extinguishing Methods:	Water, Foam, CO ₂ , Dry Chemical, Halon (if authorized)
5.3	Firefighting Procedures:	As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.





Page 3 of 6

2012633-1034B

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 11/13/2020 6. ACCIDENTAL RELEASE MEASURES 6 1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. 72 Storage & Handling Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION OTHER Exposure Limits: ACGIH NOHSC OSHA 8 1 ppm (mg/m³) FS-CHEMICAL NAME(S) STEL ES-TWA STEL PEL STEL IDLH DIFLUOROETHANE (R-152a) 1000 1000 NF NA NA NF NA NA ETHANOL (SD ALCOHOL 40B) 1000 3000 1000 1800 NF 1000 1900 3300 GERANIOL ALLERGEN NF NA NA NF NF NA NA NA LIMONENE NA NA NF NF NF NA NA NA ALLERGEN EXTRACTS AND OILS NA NA NF NF NF NA NA NA ALLERGEN 8 2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Avoid eye contact. Protective eyewear recommended. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (of this product. Always use protective evewear when cleaning spills or leaks. Contact lenses pose a special hazard: soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling.

a	PHYSICAL	& CHEMICAL	PROPERTIES

the E.C. member states, or U.S. OSHA.

prolonged and/or repeated skin contact. Use clean and impervious protective clothing (e.g., neoprene or Tyvek®) if splashing or spraying conditions are present. Protective clothing should include long-sleeves, apron, boots, and additional facial protection. If necessary, refer to appropriate standards of Canada,

9.1	Appearance:	Aerosol. White hazy liquid
9.2	Odor:	Fragrant odor
9.3	Odor Threshold:	NA
9.4	pH:	NA
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	NA NA
9.7	Flashpoint:	10°C (50 °F)
9.8	Upper/Lower Flammability Limits:	NA NA
9.9	Vapor Pressure:	70 ± 5 psig @ 70 °F
9.10	Vapor Density:	NA
9.11	Relative Density:	0.832 ± 0.012 (6.93 ± 0.10 lb/gal)
9.12	Solubility:	Soluble
9.13	Partition Coefficient (log Pow):	NA
		TW



Page 4 of 6 **2012633-1034B**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 11/13/2020

	, ,					
		9. PHYSICAL & CHEMICAL PROPERTIES – cont'd				
9.14	Autoignition Temperature:	NA				
9.15	Decomposition Temperature:	NA NA				
9.16	Viscosity:	NA NA				
9.17	Other Information:	VOC: 41.89%; Solids: 12.8 ± 0.5%. Heat combustion: 14.05				
		10. STABILITY & REACTIVITY				
10.1	Stability:					
10.1	Hazardous Decomposition	This product is stable under normal conditions. Unstable with heat.				
	Products:	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂).				
10.3	Hazardous Polymerization: Conditions to Avoid:	Will not occur.				
10.4	Incompatible Substances:	Open flames, sparks, high heat, incompatible substances, and direct sunlight. Avoid extreme heat and ignition sources. Store away from oxidizers.				
		Avoid extreme fleat and ignition sources. Store away from oxidizers.				
		11. TOXICOLOGICAL INFORMATION				
11.1	Routes of Entry:		ngestion: YES			
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, four available for some of the components of the product and is presented: <u>Limonene</u> LD ₅₀ (oral, rat				
11.3	Acute Toxicity:	See Section 4.4	,			
11.4	Chronic Toxicity:	See Section 4.5				
11.5	Suspected Carcinogen:	The following ingredient is listed on IARC 3 - Group 3 (Not classifiable as to its carcinogenicity to This product does not contain any chemicals known to the State of California to cause cancer of For more information go to www.P65Warnings.ca.gov .				
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.				
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.				
44.7	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.				
11.7	Irritancy of Product:	See Section 4.2				
11.8	Biological Exposure Indices: Physician Recommendations:	NE Tract our motion of icelly				
11.0	1 Hydiolan Recommendations.	Treat symptomatically.				
		12. ECOLOGICAL INFORMATION				
12.1	Environmental Stability:	There are no specific data available for this product.				
12.2	Effects on Plants & Animals:	There are no specific data available for this product.				
12.3	Effects on Aquatic Life:	There are no specific data available for this product.				
		13. DISPOSAL CONSIDERATIONS				
13.1	Waste Disposal:	Waste disposal must be in accordance with appropriate Federal, state, and local regulations.				
13.2	Special Considerations:	U.S. EPA Waste Number: D001 (characteristic - ignitable).				
		14. TRANSPORTATION INFORMATION				
		nber, proper shipping name, hazard class & division, packing group) is shown for each mode of tre required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	ransportation. Additional			
14.1	49 CFR (GND):	CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) – until 12/31/20 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	\Diamond			
14.2	IATA (AIR):	CONSUMER COMMODITY, 9, ID8000 (IP VOL ≤ 1.5 L) UN1950, AEROSOLS, FLAMMABLE, 2.1 (IP VOL > 0.5 L)	♦ ♦ or ♦ ♦			
14.3	IMDG (OCN):	UN1950, AEROSOLS, PLAWWABLE, 2.1 (IF VOL > 0.5 L) UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	\$\frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac			
14.4	TDGR (Canadian GND):	MARK PACKAGE ("LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" ≤ 1.0 L) or UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	Image: Control of the			
14.5	ADR/RID (EU):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	\Diamond			
14.6	SCT (MEXICO):	UN1950, AEROSOLES, 2.1 (CANT. LTDA., IP VOL ≤ 1.0 L)	_			
14.7	ADGR (AUS):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	\Diamond			



Page 5 of 6 **2012633-1034B**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 11/13/2020

		15. REGULATORY I	NFORMATION		
15.1	SARA Reporting Requirements:	This product does not contain any substances sub	oject to SARA Title III, Section 313 reporting requirements.		
15.2	SARA TPQ:	There are no specific Threshold Planning Quantiti	es for the components of this product.		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.			
15.4	CERCLA Reportable Quantity:	NA NA			
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority			
45.0	01 0 " 5 1 "		nts in this product are listed as toxic pollutants under the CWA.		
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS B5, D2B (Aerosol, Other Toxic Effects)			
15.7	State Regulatory Information:	Substances List (MA), Minnesota Hazardous Sub	lists: Florida Toxic Substances List (FL), Massachusetts Hazardous ostances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania 5 ((CA65) ethanol in alcoholic beverages) and Washington Permissible e criteria lists: MA and NJ.		
					
		Glycerin is listed on the following state criteria list: MA, MN, PA and WA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the followin criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Subs List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Haz Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Penns Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI This product does not contain any chemicals known to the State of California to cause cancer or other reproharm. For more information go to www.P65Warnings.ca.gov			
15.8	Other Requirements:	This product is found on the following inventory lis – ENCS; Korea – KECI; New Zealand – NZIoC; {I	sts: Australia - AICS, China – IECSC, Europe – ELINCS/EINEC, Japan Philippines – PICCS: USA – TSCA		
		16. OTHER INFO	RMATION		
16.1	Other Information:	EYE IRRITATION. MAY CAUSE AN ALLERGI surfaces, sparks, open flames and other ignition source. Do not pierce or burn, even after use. As skin areas with soap and warm thoroughly after I workplace. Wear protective gloves/eyewear. IF C rash occurs: Get medical advice/attention. IF IN E lenses, if present and easy to do. Continue rin contaminated clothing and wash it before reuse authorized), to extinguish. Store in a well-vent temperatures exceeding 50 °C (122 °F). KEEP O	JRIZED CONTAINER: MAY BURST IF HEATED. CAUSES SERIOUS C SKIN REACTION. Use only as directed. Keep away from heat, hot a sources. No smoking. Do not spray on open flame or other ignition void breathing fume/gas/mist/vapors/spray. Wash hands and exposed nandling. Contaminated work clothing should not be allowed out of the ON SKIN: Wash with plenty warm water and soap. If skin irritation or EYES: Rinse cautiously with water for several minutes. Remove contact using. If eye irritation persists, get medical advice/attention. Take off in case of fire: Use Water, Foam, CO ₂ , Dry Chemical, Halon (if tilated place. Keep cool. Protect from sunlight. Do not expose to UT OF REACH OF CHILDREN.		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Shield Packaging of CA's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and NO WARRANTIES OF ANY TYPE, EXPRESSED OR IMPLIED, ARE PROVIDED INCLUDING THE WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.			
16.4	Prepared for:	Shield Packaging of CA, Inc. 5165 "G" Street Chino CA 91710 USA Tel: +1 (909) 628-4707 Fax: +1 (909) 591-8916			
16.5	Prepared by:	http://www.shieldpackaging.com ShipMate, Inc.	•		
. 5.5		P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting		



Page 6 of 6

2012633-1034B

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 11/13/2020

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number		
RTECS No.	Registry of Toxic Effects of Chemical Substances Number	
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number	

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV Threshold Limit Value	
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1 Slight Hazard		
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE STATE OF THE S	
Ε			
F		H,	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic		
Irrit	t Irritant		
NA	Not Available		
NR	No Results		
ND	Not Determined		
NE	Not Established		
NF	Not Found		
SCBA	Self-Contained Breathing Apparatus		
Sens	Sens Sensitization		
STOT RE	STOT RE Specific Target Organ Toxicity – Repeat Exposure		
STOT SE	Specific Target Organ Toxicity – Single Exposure		

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:							
Autoignition	Minimum temperature required to initiate combustion in air with no other source						
Temperature	of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will						
	explode or ignite in the presence of an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will						
	explode or ignite in the presence of an ignition source						

HAZARD RATINGS:

Minimal Hazard		FLAMMABILITY		
1	Slight Hazard	\ \ \ \ \		
2	Moderate Hazard	REACTIVITY		
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic	\sim 2		
ALK	Alkaline			
COR	Corrosive	/ X W Y		
₩	Use No Water	HEALTH		
OX	Oxidizer	SPECIAL		
TREFOIL	Radioactive	PRECAUTIONS		

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	EPA U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	TSCA U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®		②	Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\diamondsuit			\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment